

Model Number
ER

ER- 2 SOCKET MIL-MS3106 TYPE HIGH TEMPERATURE

Revision: NR
ECN #: 49798

Performance

Connector Style
Connector Style
Connection Type
Coupling Method
Coupling Thread
Strain Relief

ENGLISH

MIL-C-5015
Multi-conductor
2-socket
Threaded
5/8-24 female
None

SI

MIL-C-5015
Multi-conductor
2-socket
Threaded
5/8-24 female
None

Environmental

Temperature Range

-65 to +500 °F

-55 to +260 °C

Physical

ROHS Compliant
Size - OD
Size - Length
Weight

Yes
0.77 in
2.26 in
1.24 oz

Yes
19.56 mm
57.40 mm
35.33 gm

OPTIONAL VERSIONS

Optional versions have identical specifications and accessories as listed for the standard model except where noted below. More than one option may be used.

NOTES:

Entered: LK	Engineer: GP	Sales: MC	Approved: BAM	Spec Number:
Date: 07/26/2019	Date: 07/26/2019	Date: 07/26/2019	Date: 07/26/2019	71977


IMI SENSORS
A PCB PIEZOTRONICS DIV.
IMI Sensors 3425 Walden Depew, NY 14043

Phone: 800-959-4464
Fax: 716-684-3823
E-Mail: imi@pcb.com
Web site: <http://www.imi-sensors.com>

All specifications are at room temperature unless otherwise specified.
In the interest of constant product improvement, we reserve the right to change specifications without notice.
ICP® is a registered trademark of PCB Piezotronics, Inc.